

SFK

Keg cooling

The series of SFK Keg coolers is specially designed for the refrigerated storage of 20L, 30L and 50L kegs. SFK Keg coolers are available with the machine on the right or on the left (except SFK-2E).



Powerful cooler
for 20L, 30L or 50L kegs

Environmentally friendly
and low energy consumption

Easy to maintain

The machine is also fully removable so that fast servicing in the field is possible and the beer installation can remain fully intact. The newest generation SFK Keg Coolers carries the Energetic Plus+ label with an extra reduction in energy consumption of more than 46%.



PRODUCT FEATURES

- Forced air cooling
- Better cooling capacity with 46% lower energy consumption
- Easy servicing due to removable machine unit
- Reinforced base plate
- Natural refrigerant R290
- LED lighting
- Legs adjustable from the inside
- Skinplate housing (exterior anthracite, interior silver coloured)
- Electronic thermostat with automatic defrosting
- Interchangeable door seals
- Throughput for (beer) lines on side
- Also available with machine on left (does not apply to SFK-2E)
- Available with evaporator unit (for split setup)
- Option: mobile stainless steel frame for events
- Option: lock on door



ARTICLE	CODE	DESCRIPTION
SFK-2E+	93012	Keg cooler 1 small door Storage capacity: 2 x 20L Dimensions W x D x H: 62 x 58 x 84/86 cm



SFK-4E+	93014	Keg cooler 1 door Storage capacity: 4 x 20L or 1 x 50L Dimensions W x D x H: 88 x 58 x 84/86 cm
----------------	--------------	--

SFK-4EL+	93015	Machine left
-----------------	--------------	---------------------



SFK-6E+	93016	Keg cooler 1 door + 1 small door Storage capacity: 6x20L or 2x20L+1x50L Dimensions W x D x H: 111 x58 x 84/86 cm
----------------	--------------	---

SFK-6EL+	93017	Machine left
-----------------	--------------	---------------------



Machine left

SFK-8E+	93018	Keg cooler 2 doors Storage capacity: 8 x 20L or 4 x 20L+1 x 50L or 2x50L Dimensions W x D x H: 135 x 58 x 84/86 cm
----------------	--------------	---

SFK-8EL+	93019	Machine left
-----------------	--------------	---------------------



	SFK-2E+	SFK-4E+	SFK-6E+	SFK-8E+
Number of kegs	2 x 20L	4 x 20L 1 x 50L	6 x 20L 2 x 20L + 1 x 50L	8 x 20L 4 x 20L + 1 x 50L 2 x 50L
Cooling capacity*	675 W	675 W	675 W	675 W
Power consumption	208 W	208 W	208 W	208 W
Refrigerant	R290	R290	R290	R290
Temperature setting	+2°C / +10°C	+2°C / +10°C	+2°C / +10°C	+2°C / +10°C
Dimensions W x D x H (cm)	62 x 58 x 84/86	88 x 58 x 84/86	111 x 58 x 84/86	135 x 58 x 84/86

* TE = -5°C, TC = 45°C, ambient 25°C

SFK options



CODE DESCRIPTION

030120 Lock for door



93030 Mobile stainless steel frame for SFK-2E

93031 Mobile stainless steel frame for SFK-4E

93032 Mobile stainless steel frame for SFK-6E

93033 Mobile stainless steel frame for SFK-8E




030035 Fan set 12V for column cooling, including switch

030036 Air hose 25/15 for column cooling, 50-meter reel



SFK Keg capacity



SFK-2E



SFK-4E



SFK-6E



SFK-8E

